PCT

REC'D 0 8 DEC 2004

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

PCT

(PCT Article 36 and Rule 70)

	cant's 6 5113-		nt's file reference	FOR FURTHER AC		n of Transmittal of International amination Report (Form PCT/IPEA/416)		
i .	nationa /BR C		cation No. 127	International filing date (05.09.2003	day/month/year)	Priority date (day/month/year) 12.09.2002		
			nt Classification (IPC) or bo	th national classification a	nd IPC .			
B60	B3/14	•		·		•		
				0		9 . 1 . 0 + 4		
Appli	Applicant [MERITOR DO BRASIL LTDA: et al] Arvinmeritor Do Brasil Sistemas Automotivos, Ltda							
						LUAL		
1.	 This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36. 							
2.	This	REP	ORT consists of a total of	of 4 sheets, including th	is cover sheet.			
	This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).							
	Thes	se ani	nexes consist of a total of	of 6 sheets.				
				to de a su ha dha a dadhaasta a sh				
3.	This	repo	rt contains indications re	lating to the following it	ems:			
	1	\boxtimes	Basis of the opinion					
	li		Priority					
	111			-	ovelty, inventive step a	and industrial applicability		
IV Lack of unity of invention								
	V	⊠		inder Rule 66.2(a)(ii) w ions supporting such st		nventive step or industrial applicability;		
	VI		Certain documents cit	ed				
VII ☐ Certain defects in the international application				1				
	VIII		Certain observations of	on the international app	ication			
<u></u>	<u> </u>	• • •	· •			<u> </u>		
Date	of sub	missi	on of the demand	•	Date of completion of the	his report		
15.03.2004					07.12.2004			
Name and mailing address of the international preliminary examining authority:				nal	Authorized Officer	attribus Palantelay.		
European Patent Office								
D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656			I. +49 89 2399 - 0 Tx: 5236	56 epmu d	Bolte, U			
Fax: +49 89 2399 - 4465					Telephone No. +49 89	2399-7431		

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/BR 03/00127

1. With regard to the **elements** of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)):

	Des	cription, Pages					
	3-7	•	as originally filed				
	1, 2	, 2a	received on 19.08.2004 with letter of 18.08.2004				
	Clai	ims, Numbers					
	1-4		received on 19.08.2004 with letter of 18.08.2004				
	Dra	wings, Sheets	5				
	1/4,	2/4	as originally filed				
	3/4,	4/4	received on 19.08.2004 with letter of 18.08.2004				
2.	With lang	n regard to the langua guage in which the inte	ge, all the elements marked above were available or furnished to this Authority in the ernational application was filed, unless otherwise indicated under this item.				
	The	se elements were ava	ulable or furnished to this Authority in the following language: , which is:				
		the language of a trai	nslation furnished for the purposes of the international search (under Rule 23.1(b)).				
		the language of public	cation of the international application (under Rule 48.3(b)).				
		the language of a train Rule 55.2 and/or 55.3	nslation furnished for the purposes of international preliminary examination (under 8).				
3.	Witl inte	n regard to any nucle o rnational preliminary e	otide and/or amino acid sequence disclosed in the international application, the examination was carried out on the basis of the sequence listing:				
		contained in the inter	national application in written form.				
		☐ filed together with the international application in computer readable form.					
		☐ furnished subsequently to this Authority in written form.					
	furnished subsequently to this Authority in computer readable form.						
		The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.					
	☐·	The statement that the listing has been furnished	ne information recorded in computer readable form is identical to the written sequence shed.				
4.	The	amendments have re	esulted in the cancellation of:				
		the description,	pages:				
		the claims,	Nos.:				
		the drawings,	sheets:				

INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

International application No.

PCT/BR 03/00127

5. I	 This report has been established as if (some of) the amendments had not been made, since they have
	been considered to go beyond the disclosure as filed (Rule 70.2(c)).
	• • • • • • • • • • • • • • • • • • • •

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

6. Additional observations, if necessary:

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

No:

No:

Yes: Claims Claims

1-4

Inventive step (IS)

Yes: Claims

1-4

No: Claims

Industrial applicability (IA)

Yes: Claims Claims

2. Citations and explanations

see separate sheet

INTERNATIONAL PRELIMINARY Inter EXAMINATION REPORT - SEPARATE SHEET

International application No. PCT/BR 03/00127

Re Item V

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

State of the art:

Document (D1) EP 0 768 191 A cited in the application and in the search report forms the most relevant state of the art. It discloses a vehicle wheel formed by associating a rim and a disc according to the preamble of claim 1.

Distinguishing features:

Claim 1 of the present application is distinguished from the state of the art in that the first contact surface of the disc cooperates with the rim at the end of the flange.

Objective task:

There was to design an esthetically attractive and at the same time low cost wheel.

Grounds for the statement:

The subject-matter of the present application is considered as new (Art. 33(2) PCT) (see above) and implies an inventive step (Art. 33(3) PCT), as none of the opposing documents gives a hint to locate one contact surface of the disc with the rim near the end of the flange to accomplish the above task. The rim of D1 has a flange only on the inner side, the outer side flange is formed on the disc, accordingly the cooperation areas between rim and disc are quite different. Claims 2 to 4 depending on claim 1 are showing further embodiments of the invention.

Industrial applicability:

The subject-matter of the present application is considered as industrially applicable (Art. 33(4) PCT) as it is used in the vehicle industry.

WO 2004/024469



"A WHEEL AND A WHEEL DISC"

The present invention relates to a wheel, particularly for use on vehicles, which is made from a stamped material and has a esthetics similar to that of wheels made from light-metal alloys by casting, as well as a disc for use on the aimed wheel.

Description of the Prior Art

Wheels designed for use on vehicles, particularly automotive vehicles, may be classified into two main categories, according to their manufacture process: wheel made from a stamped material and wheels made from light-metal alloys by casting.

Although the wheels made from a stamped material are easy to manufacture and have a low cost per unit, they have the drawback of not presenting an attractive design, so that their use is limited to low-cost vehicles or commercial utility/commercial vehicles, for which the esthetic factor is not of great importance. The wheels made from light metal are more flexible with regard to working-out and variation in design, thus being esthetically more attractive. However, they are expensive, their price being usually prohibitive for some segments of the automotive market.

The wheels made from a stamped material (usually carbon steel) from the prior art comprise a substantially cylindrical or truncated-cone-shaped rim and a substantially circular wheel disc, rigidly associated to each other, usually by welding, although one often uses screws, rivets, etc. as well. The stamped wheels may be subdivided into two types, according to their constructive form, which are the following.

A first type of stamped wheel is formed by a rim having two opposed end regions, or flanges, which define the region where the diameter of the wheel is maximum. The flanges are protuberant, have a substantially curved "7"-shaped or "J"-shaped profile, and define a groove for fixing a tire. These wheels are called conventional stamped wheels.

A second type of stamped wheel comprises a rim having only one wheel flange, the other flange being an integral part of the wheel disc. Again, the disc flange and rim flange define the region where the wheel di-

25

30

5

10

15

20

5

15

20

25

30



ameter is maximum; thus, the disc define the maximum wheel diameter on its flange. These wheels are known as integrated wheels and have the advantage of enabling one to achieve more attractive and elaborate designs, while keeping the manufacture cost low.

However, there are some problems associated with the integrated wheels, such as: a greater difficulty in achieving symmetry and alignment of the wheel; a design still inferior to that of the wheels made from lightmetal alloys; the need for greater accuracy in the manufacture; a little higher price per unit, etc.

10 Objectives of the Invention

An objective of the present invention is to provide a stamped wheel, particularly for use on automotive vehicles, which is esthetically as attractive to the consumer as the wheels made from light-metal alloys, more flexible with regard to the options of design than the integrated wheels, and has the same low manufacture cost of the stamped wheels. The process of welding the wheel disc to the rim may be carried out with existing manufacture equipment, thus demanding little or no investment in purchasing a new equipment for the production line.

Another objective of the present invention is to provide a wheel disc for use on the above-described wheel.

Brief Description of the Invention

The objectives of the present invention are achieved by a wheel, particularly for use on automotive vehicles, formed by associating a substantially cylindrical wheel rim and a substantially circular wheel disc with each other, the wheel disc comprising at least one through bore, the through bore comprising at least one projection, the projection cooperating with the wheel rim:

Also, the objectives of the present invention are achieved by a wheel disc, particularly for association with a wheel rim, comprising at least one through bore that has at least one projection defining a second contact surface for cooperation with the rim.

The main advantages of the present invention, among other

5

15

20

30



CLAIMS


- 1. A wheel, particularly for use on automotive vehicles, formed by associating a substantially cylindrical wheel rim (2) and a substantially circular wheel disc (3) to each other, the wheel disc (3) comprising at least one through bore (16), the wheel (1) being characterized in that the through bore (16) comprises at least one projection (37), the projection (37) cooperating with the wheel rim (2).
- A wheel according to claim 1, characterized in that the disc (3)
 comprises a substantially annular end region that defines a first contact surface (20).
 - 3. A wheel according to claim 2, characterized in that the first contact surface (20) cooperates with the wheel rim (2).
 - 4. A wheel according to claim 3, characterized in that the first contact surface (20) cooperates with the rim (2) at a point substantially close to the flange (4).
 - 5. A wheel according to claim 3, characterized in that the first contact surface (20) cooperates with the rim (2) at the end of the flange (4).
 - 6. A wheel according to claim 4 or 5, characterized in that the first surface (20) is fixed to the rim (2) by welding.
 - 7. A wheel according to claim 1, characterized in that the projection (37) faces the internal surface of the disc (3) and defines a second contact surface (21).
- 8. A wheel according to claim 1 or 7, characterized in that the projection (37) is substantially annular-segment shaped.
 - 9. A wheel disc, particularly for association to a wheel rim (2), comprising at least one through bore (16) and being characterized in that the through bore (16) comprises at least one projection (37) defining a second contact surface (21) for cooperation with the rim (2).
 - 10. A disc according to claim 9, characterized in that it comprises a substantially annular end region, which defines a first contact surface (20).
 - 11. A disc according to claim 10, characterized in that the first



contact surface (20) cooperates with the wheel rim (2).

12. A disc according to claim 9, characterized in that the projection (37) faces its internal surface.

13. A disc according to claim 9 or 12, characterized in that the projection (37) is substantially annular-segment shaped.






Fig. 7

21

23

40

7

3

12

14

14

Fig. 8

BEST AVAILABLE COPY

Rec'd PCT/PTO 10 MAR 2005

PCT/B. 3/00127

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 B60B3/14 B60B B60B3/04 B21D53/26 B60B3/16 B60B3/10 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) B60B B21D IPC 7 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the International search (name of data base and, where practical, search terms used) EPO-Internal C. DOCUMENTS CONSIDERED TO BE RELEVANT Relevant to claim No. Category ° Citation of document, with indication, where appropriate, of the relevant passages EP 0 768 191 A (PORSCHE AG) 1-4,6-13 X 16 April 1997 (1997-04-16) column 3, line 44 - line 50; figures 2,6,8 US 6 152 351 A (MAZAC KAREL ET AL) 1-4,6-13 X 28 November 2000 (2000-11-28) abstract; figure 1 1-4,6-13 US 6 234 581 B1 (STACH JENS) X 22 May 2001 (2001-05-22) column 2, line 37 -column 3, line 6; figure 2 1-13 US 6 240 638 B1 (ARCHIBALD KENNETH R ET Α AL) 5 June 2001 (2001-06-05) abstract; figure 2 Patent family members are listed in annex. Further documents are listed in the continuation of box C. Special categories of cited documents: "T" later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the *A* document defining the general state of the art which is not considered to be of particular relevance Invention "E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention filing date cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docu-O document referring to an oral disclosure, use, exhibition or ments, such combination being obvious to a person skilled in the art. document published prior to the international filing date but later than the priority date claimed *&* document member of the same patent family Date of malling of the international search report Date of the actual completion of the international search 27/01/2004 21 January 2004 Authorized officer Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Bolte, U Fax: (+31-70) 340-3016

INTERNATION SEARCH REPORT

Internation No
PCT/Base 3/00127

				FC1/ BASS3/ 0012/	
Patent document clted in search report		Publication date		Patent family member(s)	Publication date
EP 0768191	Α	16-04-1997	DE	19601778 A1	17-04-1997
			AU	725086 B2	05-10-2000
			AU	6582796 A	17-04-1997
			CN	1163833 A ,B	05-11-1997
			DE	29623451 U1	02-07-1998
•			DE EP	59603215 D1 0768191 A2	04-11-1999 16-04-1997
			ES	2136351 T3	16-11-1999
			JP	3091698 B2	25-09-2000
			JP	9164801 A	24-06-1997
			NO	964303 A	14-04-1997
			US	6231129 B1	15-05-2001
			US	6024415 A	15-02-2000
			DE	19625271 A1	08-01-1998
			DE	19645639 A1	07-05-1998
US 6152351	A	28-11-2000	DE	19732076 A1	28-01-1999
			EP	0893278 A2	27-01-1999
US 6234581	B1	22-05-2001	DE	19625271 A1	08-01-1998
			AU	711230 B2	07-10-1999
			AU	2698397 A	14-01-1998
			CN	1223613 A ,B	21-07-1999
			DE	19601778 A1	17-04-1997 28-09-2000
			DE WO	59702244 D1 9749565 A1	31-12-1997
			EP	0907519 A1	14-04-1999
			ES	2148972 T3	16-10-2000
			JP	2000512589 T	26-09-2000
			KR	2000312303 T	25-04-2000
			NO	986085 A	23-02-1999
US 6240638	B1	05-06-2001	US	5360261 A	01-11-1994
-			US	6170918 B1	09-01-2001
			US	5548896 A	27-08-1996
			AU	634813 B2	04-03-1993
			AU	6230290 A	21-03-1991
			DE	4014368 A1	28-03-1991
			ES	2029603 A6	16-08-1992
			IT	1278625 B1	27-11-1997
			JP	3169701 A	23-07-1991
			JP	3185144 B2	09-07-2001 01-12-1998
			KR	163427 B1	01-12-1998